

- [1] T. A. Soldatov, A. I. Smirnov, K. Y. Povarov, M. Hälg, W. E. A. Lorenz, and A. Zheludev, Spin gap in the quasi-one-dimensional $S = \frac{1}{2}$ antiferromagnet $\text{K}_2\text{CuSO}_4\text{Cl}_2$, *Phys. Rev. B* **98**, 144440 (2018).
- [2] A. I. Smirnov, T. A. Soldatov, O. A. Petrenko, A. Takata, T. Kida, M. Hagiwara, A. Y. Shapiro, and M. E. Zhitomirsky, Order by quenched disorder in the model triangular antiferromagnet $\text{RbFe}(\text{MoO}_4)_2$, *Phys. Rev. Lett.* **119**, 047204 (2017).
- [3] A. I. Smirnov, Magnetic resonance of spinons in quantum magnets, *Usp. Fiz. Nauk* **186**, 633 (2016).
- [4] A. I. Smirnov, T. A. Soldatov, K. Y. Povarov, and A. Y. Shapiro, High-field magnetic resonance of spinons and magnons in the triangular lattice $S = \frac{1}{2}$ antiferromagnet Cs_2CuCl_4 , *Phys. Rev. B* **91**, 174412 (2015).
- [5] A. I. Smirnov, T. A. Soldatov, K. Y. Povarov, M. Hälg, W. E. A. Lorenz, and A. Zheludev, Electron spin resonance in a model $S = \frac{1}{2}$ chain antiferromagnet with a uniform dzyaloshinskii-moriya interaction, *Phys. Rev. B* **92**, 134417 (2015).
- [6] S. A. Zvyagin, D. Kamenskyi, M. Ozerov, J. Wosnitza, M. Ikeda, T. Fujita, M. Hagiwara, A. I. Smirnov, T. A. Soldatov, A. Y. Shapiro, J. Krzystek, R. Hu, H. Ryu, C. Petrovic, and M. E. Zhitomirsky, Direct determination of exchange parameters in Cs_2CuBr_4 and Cs_2CuCl_4 : High-field electron-spin-resonance studies, *Phys. Rev. Lett.* **112**, 077206 (2014).
- [7] K. Y. Povarov, A. I. Smirnov, and C. P. Landee, Switching of anisotropy and phase diagram of the heisenberg square-lattice $S = \frac{1}{2}$ antiferromagnet $\text{Cu}(\text{pz})_2(\text{ClO}_4)_2$, *Phys. Rev. B* **87**, 214402 (2013).
- [8] A. I. Smirnov, K. Y. Povarov, S. V. Petrov, and A. Y. Shapiro, Magnetic resonance in the ordered phases of the two-dimensional frustrated quantum magnet Cs_2CuCl_4 , *Phys. Rev. B* **85**, 184423 (2012).
- [9] T. Fujita, M. Hagiwara, H. Yamaguchi, S. Kimura, L. E. Svistov, A. I. Smirnov, and A. Prokofiev, Multi-frequency esr in the $S = \frac{1}{2}$ frustrated chain compound LiCuVO_4 , *Journal of the Physical Society of Japan* **81**, SB029 (2012).
- [10] K. Y. Povarov, A. I. Smirnov, O. A. Starykh, S. V. Petrov, and A. Y. Shapiro, Modes of magnetic resonance in the spin-liquid phase of Cs_2CuCl_4 , *Phys. Rev. Lett.* **107**, 037204 (2011).